

 Recurrence ...



 Initialize variable - Capture 10 Days Quoted ? ...



 Get items- Return 10 Days Quoted ? ...



 Initialize variable ? ...




 Apply to each 2 ...



 Apply to each ...

+ New step

Save

 Recurrence (i) ...

\* Interval  \* Frequency

Show advanced options v



**{x}** Initialize variable - Capture 10 Days Quoted

addDays(utcNow(),-10,'mm/dd/yyyy')

\* Name: varDate10DaysQuoted

\* Type: String

Value: **f<sub>x</sub>** addDays(...) x

**S** Get items- Return 10 Days Quoted

\* Site Address: [Redacted]

\* List Name: [Redacted]

Limit Entries to Folder: Select a folder, or leave blank for the whole list

Include Nested Items: Return entries contained in sub-folders (default = true)

Filter Query: Column16 eq' {x} varDate10Days... x

Order By: An ODATA orderBy query for specifying the order of entries.

Top Count: Total number of entries to retrieve (default = all).

Limit Columns by View: Avoid column threshold issues by only using columns defined in a view

[Hide advanced options](#) ^

**{x}** Initialize variable

\* Name: Attachments

\* Type: Array

Value: Enter initial value

Apply to each 2

\* Select an output from previous steps

value x

Get attachments

Apply to each 3

Apply to each 4

Add an action

Apply to each 2

\* Select an output from previous steps

value x


Get attachments

\* Site Address

\* List Name

\* Id

ID x



Apply to each 2

\*Select an output from previous steps  
value x

**S** Get attachments ? ...

- \* Site Address
- \* List Name
- \* Id



Apply to each 3

\*Select an output from previous steps  
Body x

**S** Get attachment content ? ...

- \* Site Address
- \* List Name
- \* Id
- \* File Identifier

 Add an action

Add an action

Apply to each 4

\* Select an output from previous steps

Body x

{x} Append to array variable

\* Name

Attachments

\* Value

```
{
  "Name": DisplayName x ,
  "ContentBytes": Body x
}
```

Add an action

Apply to each

\* Select an output from previous steps

value x



Send an email from a shared mailbox (V2)

BCC

Specify email addresses separated by semicolons like someone@con

Attachments

{x} Attachments x