



Get items

* Site Address: Intranet -

* List Name: QCR Calendar

Limit Entries to Folder: Select a folder, or leave blank for the whole list

Include Nested Items: Yes

Filter Query: `(EndDate ge 'fx formatDateTim... T00:00:00') and (EndDate le 'fx formatDateTim... T23:59:59')`

'Completed')

Order By: An ODATA orderBy query for specifying the order of entries.

Top Count: Total number of entries to retrieve (default = all).

Limit Columns by View: Avoid column threshold issues by only using columns defined in a view

Hide advanced options ^

↓

Get items

* Site Address: Intranet -

* List Name: QCR Calendar

Limit Entries to Folder: Select a folder, or leave blank for the whole list

Include Nested Items: Yes

Filter Query:

```
(EndDate ge 'formatDateTime('T00:00:00') and (EndDate le 'formatDateTime('T23:59:59') and (Action_x0020_Status ne 'Completed')) formatDateTime(addDays(utcNow(),90), 'yyyy-MM-dd')
```

Order By: An ODATA orderBy query for specifying the order of entries.

Top Count: Total number of entries to retrieve (default = all).

Limit Columns by View: Avoid column threshold issues by only using columns defined in a view

[Hide advanced options](#)

Completed)

Order By: An ODATA orderBy query for specifying the order of entries.

Top Count: Total number of entries to retrieve (default = all).

Limit Columns by View: Avoid column threshold issues by only using columns defined in a view

[Hide advanced options](#)

{ Filter array - First Reminder }

* From: value

formatDateTime(item()?['EndDate'], 'UTC', 'AUS Eastern Standard Time'), 'yyyy-MM-dd')

{ Filter array 2 }



