

Action Settings

Pointsyste

2 Value(text, language) **language**: Language code to use when converting the value.

ForAll(Choice
{Id: Id} Name isn't valid. This identifier isn't recognized.
Value: Value(Value, "da-DK")
}
)

"da-DK" = There is an error in this formula. Try revising the formula
and running it again.

Data type: **text**

Format text

Remove formatting

Find and replace

Official/holdleder/medhjælp/Sparta ... More

Forælder

Card : Point type:Point værdi

Action Settings Pointsyste

2 Value(text, language) language: Language code to use when converting the value.

fx ForAll(Choices([@'Alle ontient point'1, 'Ontient point'),
{Id: Id | The function 'Value' has some invalid arguments.
Value: Value(Value, "da-DK")
})

"da-DK" = There is an error in this formula. Try revising the formula
and running it again.

Data type: text

Format text

Remove formatting

Find and replace

Official/holdleeder/medhjælp/Sparta ... More

Forælder

Card : Point type:Point værdi

View Action Settings

Pointsystem

2 Value(text, language) **language:** Language code to use when converting the value.

= *fx* ForAll(Choices([@'Alle optjent point'].Optjent point),
{If The function 'Choices' has some invalid arguments.
V: Name isn't valid. This identifier isn't recognized.
})

"da-DK" = There is an error in this formula. Try revising the formula
and running it again.

Data type: **text**

Format text

Remove formatting

Find and replace

Official/holdleder/medhjælp/Sparta ... More

Forælder

Card : Point type:Point værdi

